

```
1  /*
2     Client Side Scripting
3     Final javascript Project
4
5     sKKate Online Store
6     Author: Kathleen Kunsman
7     Date:   April 29, 2010
8
9  Function List:
10
11     xCoord(id)
12     Returns the x-coordinate of the object with id with the value id
13
14     yCoord(id)
15     Returns the y-coordinate of the object with id with the value id
16
17     placeIt(id, x, y)
18     Places the id object at the coordinates (x,y)
19
20     shiftIt(id, dx, dy)
21     Moves the id object dx pixels to the right and dy pixels down
22
23     hideIt(id)
24     Hides the id object by setting its visibility style to "hidden"
25
26     showIt(id)
27     Hides the id object by setting its visibility style to "visible"
28
29
30 */
31
32 function xCoord(id) {
33     object=document.getElementById(id);
34     xc=parseInt(object.style.left);
35     return xc;
36 }
37
38 function yCoord(id) {
39     object=document.getElementById(id);
40     yc=parseInt(object.style.top);
41     return yc;
42 }
43
44 function placeIt(id, x, y) {
45     object=document.getElementById(id);
46     object.style.left=x+"px";
47     object.style.top=y+"px";
48 }
49
50 function shiftIt(id, dx, dy) {
51     object=document.getElementById(id);
52     object.style.left=xCoord(id)+dx+"px";
53     object.style.top=yCoord(id)+dy+"px";
54 }
55
56
```

```
57 function hideIt(id) {
58     object=document.getElementById(id);
59     object.style.visibility="hidden";
60 }
61
62 function showIt(id) {
63     object=document.getElementById(id);
64     object.style.visibility="visible";
65 }
66
67 function currentDay() {
68     var currentDate=new Date();
69     return
... currentDate.getMonth()+1+"-"+currentDate.getDate()+"-"+currentDate.getFullYear(
... );
70 }
71
72 function toFixed2(value) {
73     n=Math.round(value*100)/100;
74     if (n==Math.round(n)) return n+"0";
75     else return String(n);
76 }
```